

Elcometer 1510 Conical Mandrel Bend Tester



Elcometer 1510 Conical Mandrel Bend Tester

Can be used in accordance with:		
ASTM D 522	BS 3900 E11	
DIN 53150 DIN SO EN 6860		
ECCA T7		

Elcometer 1510 Conical Mandrel Bend Tester

Mechanical testing equipment for the determination of elasticity, adhesion and elongation of paint on sheet metal. The frame has a bending lever with a roller which pivots on a steel conical mandrel with a diameter from 3.2 to 38.1mm (0.12 to 1.5"). A graduation indicates the mandrel diameter in mm and inches.

This particularly robust and rigid construction provides excellent resistance to deformation and long service life. The specimen can be bent on part of or along the entire length of the mandrel, and the results (cracks) corresponding to different test diameters can be observed in a single operation.

Elasticity & Resistance Deformation

Elasticity and resistance to deformation are part of the key physical properties required in the coatings industry today.
Essentially there are three different test methods which are used to determine a coating's performance under different deformation conditions.

Bend Test: A coated metal sheet is bent over a cylindrical or conical mandrel and the coating observed for cracks and discolouration.

Impact Test: A coated metal sheet is placed beneath a falling weight and the resultant damage caused by the deformation is observed. The impact test method is used to identify how the coating performs under a rapid deformation process.

Cupping Test: A coated sheet metal is subjected to a gradual deformation by a polished die. This deformation is caused by the die being pushed from beneath the coating – i.e. from the reverse side of the sheet metal. The end-point is when the coating begins to crack.

Model	Description	Part Number
Elcometer 1510	Elcometer 1510 Conical Mandrel Bend Tester	K0001510M001
Packing List	Elcometer 1510 Conical Mandrel Bend Tester & Operating instructions	

data sheet

elcometer

Related Products



Elcometer 1500

A simple instrument for determining the elasticity, adhesion and cracking of dry paint on flat specimens, consisting of a mandrel support which also serves as a test stand. Painted metal sheets, are manually bent around mandrels of decreasing diameter until cracks appear.



This cylindrical mandrel bend tester consists of a robust frame which has a bending lever, with height adjustable rollers and a sliding vice for the sample. Thanks to its design, the instrument can be adapted to the diameter of the mandrel used are bent perfectly and regularly over the mandrels.



Used for assessing the cupping ability of coatings applied to metal sheets up to 1.2mm (0.05") thick, the Elcometer cupping tester is available with either an analogue or a digital gauge, manual or electric. Models are supplied with an illuminated magnifier to accurately view the deformation's results.



Flcometer 1615

Used for evaluating the resistance of a coating to impact (elongation, cracking or peeling). A weight with hemispherical ends falls on the coated side or reverse of a sheet metal specimen fixed onto a corresponding die. The impact testers can be supplied with accessory kits to allow tests to be in accordance with ASTM D 2794 and NF T30 017.



Simple but effective method for determining the adhesion of a large variety of coatings. The instrument is ideal for testing the adhesion of thin coatings on flat surfaces using the cross cut method, available with three different spacings 1, 2, and 3mm, corresponding to the thickness of layer to be tested.

ENGLAND

Elcometer Instruments Ltd Edge Lane Manchester M43 6BU

Tel: +44 (0) 161 371 6000 Fax: +44 (0) 161 371 6010 e-mail: sales@elcometer.com www.elcometer.com

Elcometer Instruments Inc 1893 Rochester Industrial Drive Rochester Hills Michigan 48309

Tel: +1 248 650 0500 Toll free: 800 521 0635 Fax: +1 248 650 0501 e-mail: inc@elcometer.com www.elcometer.com

CANADA

Elcometer Canada Ltd PO Box 622, 401 Ouelette Avenue Windsor, Ontario N9A 6N4

Tel: +1 248 650 0500 Toll Free: 800 521 0635 Fax: +1 248 650 0501 e-mail: ca info@elcometer.com www.elcometer.com

ASIA & THE FAR EAST

Elcometer (Asia) Pte Ltd 896 Dunearn Rd Sime Darby Centre #3-09 Singapore 589472, Republic of Singapore

Tel: +65 6462 2822 Fax: +65 6462 2860 e-mail: asia@elcometer.com www.elcometer.com

BELGIUM

Floometer SPRI Rue Vallée 13 B-4681 Hermalle /s Argenteau

Tel: +32 (0)4 379 96 10 Fax: +32 (0)4 374 06 03 e-mail: be_info@elcometer.be www elcometer be

FRANCE

Elcometer SARL 97 Route de Chécy 45430 BOU

Tel: +33 (0)2 38 86 33 44 Fax: +33 (0)2 38 91 37 66 e-mail: fr_info@elcometer.fr www.elcometer.fr

GERMANY

Elcometer Instruments GmbH Himmlingstraße 18 D-73434 Aalen

Tel: +49 (0) 7366 91 92 83 Fax: +49 (0) 7366 91 92 86 e-mail: de_info@elcometer.de www elcometer de